



# Hose Clamp with Worm-Gear, Steel quality W4, stainless steel 1.4301

Standard clamp for fastening light hose types to connecting pieces on mobile and stationary installations

#### **Product Details**

#### **Construction / Material**

- Clamp Design: clamp band designed with a band width of approx. 12 mm, clamp band designed with a band thickness of approx. 0.5 - 1 mm, clamp with housing, worm thread and clamping screw, clamping screw in sizes M5-M10 designed as slotted hexagon screw
- Material of the clamp: stainless steel 1.4301, material grade W4

#### **Properties**

Chemical Properties: rust-protected

**Operating Temperature** 

**Delivery Information** 

**Application Areas** 

**Customizing Options** 

#### **Article Variants**

Article number	Clamping range mm
002039	20 - 35
002041	27 - 45

Article number	Clamping range mm
002043	35 - 55
002045	45 - 65
002047	55 - 75
002049	65 - 85
002051	75 - 95
002053	85 - 105
002055	95 - 115
002057	105 - 125
002059	115 - 135
002061	125 - 145
002063	135 - 155
002065	145 - 165
002067	155 - 175
002069	165 - 185
002071	175 - 195
002074	195 - 215
002076	205 - 225
002078	215 - 235
002081	235 - 255
002083	245 - 265
002086	265 - 285
002088	275 - 295
002090	285 - 305
002092	295 - 315
002094	305 - 325
002098	345 - 365
002103	395 - 415
002107	445 - 465
002110	495 - 515

Subject to technical changes and colour deviations

### **Delivery Variants**

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

## **Disposal instructions**

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).

**Individual consultation** 

We offer consultation by phone:

+49 209 97077-112

Product requests via masterflex.de/en

**Address Headquarters** 

Masterflex SE Willy-Brandt-Allee 300 45981 Gelsenkirchen

